



MW-758 / Engine Dynamometer



Example Model Shown
(Image may not depict all standard
included components)

MW-758 Eddy Current Dynamometer

Specifications

Power:	50 hp (37 kW)
Max Torque at Base Speed:	131 lb-ft (178 Nm)
Base Speed:	2,000 rpm
Max. Speed:	6,000 rpm
Construction Type:	Dry Gap
Rotor Inertia:	2.6 lb-ft ² (0.11 kg-m ²)
Coolant Required at Max. Power:	5 gpm (18.9 lpm)
Coolant Inlet (Min-Max):	55-100 psi (378-689 kPa)
Coolant Inlet Temperature Max:	90°F (32.2°C)
Shipping Weight (estimate):	675 lb (306 kg)
Companion Flange / Hub Pattern:	1310 - US Customary
Coil Voltage / Hot Amperage:	90V / 2.15 amps

Recommended Accessories

- Driveshaft - 1310
- Torsional Coupling - 1310
- Flywheel Adapter Plate Kit
- Driveshaft Guard
- Sub-Base Kit
- Air or Electric Starter
- Water Recirculating System
- T-slot Table
- Calibration Weights

Everything you need to succeed

Optional Accessories



Optional Manual Shaft Lock



Optional Automatic Day Tank



Optional Calibration Weights



Optional Driveshaft Guard



Optional T-Slot Table

Various Facility Support Systems and Services Available



Bulk Fuel Storage and Distribution



Coolant Storage and Distribution



Water Recirculation




Design, Project & Construction Management Services





Commissioning, Start-up & Training

MW-758 (US Customary)



MW-758 (S.I.)





Note: Shown without companion flange

Units	A	B	C	D	E	F	G	H
US Customary	28.56	14.28	12	24	9	13	27.75	9
S.I.	725	363	305	610	229	330	705	229

Units	I	J	K	L	M	N	O	Y
US Customary	14.75	24	18	21.5	8	3	1.5	0.88
S.I.	375	610	457	546	203	76	38	22

(All dimensions are for new OEM supplied units)

Standard Included Components

- Load Cell and Linkage
- Cooling Safety Package
- Calibration Arm
- Calibration Weight Hanger
- Companion Flange / Hub Pattern 1310 - US Customary
- Shaft End Guard
- Magnetic Pickup and 60-tooth Gear
- Constant Level Oilers

Everything you need to succeed



Dyne Systems is a division of Taylor Dynamometer
W209 N17391 Industrial Dr., Jackson, WI 53037
(800) 657-0726 www.dynesystems.com

DS2320v001