

## MW-2025W / Engine Dynamometer



Example Model Shown  
(Image may not depict all standard  
included components)

## MW-2025W Eddy Current Dynamometer

### Specifications

Power:	1,200 hp (895 kW)
Max Torque at Base Speed:	6,302 lb-ft (8,545 Nm)
Base Speed:	1,000 rpm
Max. Speed:	3,600 rpm
Construction Type:	Wet Gap
Rotor Inertia:	677 lb-ft <sup>2</sup> (28.53 kg-m <sup>2</sup> )
Coolant Required at Max. Power:	120 gpm (454.2 lpm)
Coolant Inlet (Min-Max):	55-100 psi (378-689 kPa)
Coolant Inlet Temperature Max:	90°F (32.2°C)
Shipping Weight (estimate):	6,500 lb (2,948 kg)
Companion Flange / Hub Pattern:	1910 - US Customary
Coil Voltage / Hot Amperage:	90V / 19.51 amps

### Recommended Accessories

- Driveshaft - 1910
- Torsional Coupling - 1910
- Flywheel Adapter Plate Kit
- Driveshaft Guard
- Sub-Base Kit
- Engine Cart
- Air or Electric Starter
- Engine Cooling Column
- Charge Air Cooler
- Water Recirculating System

# Optional Accessories



Optional Manual Shaft Lock



Optional Closed Loop Cooling Center



Optional Charge Air Cooler



Optional Driveshaft Guard



Optional Engine Cart


# Various Facility Support Systems and Services Available



Bulk Fuel Storage and Distribution



Coolant Storage and Distribution



Water Recirculation




Design, Project & Construction Management Services





Commissioning, Start-up & Training

MW-2025W (US Customary)



MW-2025W (S.I.)





Note: Shown without companion flange

Units	A	B	C	D	E	F	G	H	I
<b>US Customary</b>	58.5	29.25	24.25	48.5	27	33	60	21	25.75
<b>S.I.</b>	1,486	743	616	1,232	686	838	1,524	533	654

Units	J	K	L	M	N	O	P	Y
<b>US Customary</b>	39.5	42	27.5	11	12	6	15.5	1.13
<b>S.I.</b>	1,003	1,067	699	279	305	152	394	29

(All dimensions are for new OEM supplied units)

## Standard Included Components

- Load Cell and Linkage
- Cooling Safety Package
- Calibration Arm
- Calibration Weight Hanger
- Companion Flange / Hub Pattern 1910 - US Customary
- Shaft End Guard
- Magnetic Pickup and 60-tooth Gear
- Constant Level Oilers

*Everything you need to succeed*



Dyne Systems is a division of Taylor Dynamometer  
 W209 N17391 Industrial Dr., Jackson, WI 53037  
 (800) 657-0726 [www.dynesystems.com](http://www.dynesystems.com)

DS2333v001