



DA157 / Engine Dynamometer



Image shown is for display only, actual DA157 AC Dynamometer may vary.

DA157 Air Cooled AC Dynamometer

Specifications

| | |
|-------------------------|----------------------|
| Power: | 157 hp (117.1 kW) |
| Torque: | 412 lb-ft (558.6 Nm) |
| Maximum Speed: | 6,700 rpm |
| Constant Torque Range: | 0 - 2,000 rpm |
| Constant Power Range: | 2,000 - 4,400 rpm |
| Decreasing Power Range: | 4,400 - 6,700 rpm |
| Rotation: | bi-directional |

Recommended Accessories

- Base Kit
- Driveshaft
- Shaft Guard
- Engine Cart
- Adapter Plate Kit
- Charge Air Cooler
- Load Bank Configuration (Regenerative Drive Configuration is standard)
- Calibration Weights

Everything you need to succeed

Optional Accessories



Optional Closed Loop Cooling Center



Optional Charge Air Cooler



Optional Engine Cart



Optional Driveshaft Guard

Various Facility Support Systems and Services Available



Bulk Fuel Storage and Distribution



Coolant Storage and Distribution



Water Recirculation




Design, Project & Construction Management Services




Commissioning, Start-up & Training

DA157 (US Customary)



DA157 (S.I.)



Everything you need to succeed



Dyne Systems is a division of Taylor Dynamometer
W209 N17391 Industrial Dr., Jackson, WI 53037
(800) 657-0726 www.dynesystems.com