

DA351 / Engine Dynamometer



Image shown is for display only, actual DA351 AC Dynamometer may vary.

DA351 Air Cooled AC Dynamometer

Specifications

Power:	351 hp (261.7 kW)
Torque:	921 lb-ft (1,248.7 Nm)
Maximum Speed:	5,600 rpm
Constant Torque Range:	0 - 2,000 rpm
Constant Power Range:	2,000 - 3,600 rpm
Decreasing Power Range:	3,600 - 5,600 rpm
Rotation:	bi-directional

Recommended Accessories

- Base Kit
- Driveshaft
- Shaft Guard
- Engine Cart
- Adapter Plate Kit
- Charge Air Cooler
- Load Bank Configuration (Regenerative Drive Configuration is standard)
- Calibration Weights

Optional Accessories



Optional Closed Loop Cooling Center



Optional Charge Air Cooler



Optional Engine Cart



Optional Driveshaft Guard


Various Facility Support Systems and Services Available



Bulk Fuel Storage and Distribution



Coolant Storage and Distribution



Water Recirculation




Design, Project & Construction Management Services




Commissioning, Start-up & Training

DA351 (US Customary)



DA351 (S.I.)



Everything you need to succeed



Dyne Systems is a division of Taylor Dynamometer
 W209 N17391 Industrial Dr., Jackson, WI 53037
 (800) 657-0726 www.dynesystems.com